

# Instruction Manual

## Mini-D Dehumidifier

### 550ml Extraction



**Devola**  
Controlled Living

Please read this manual in full before operating the appliance  
and retain in a safe place for future reference

# Safety Instructions

This appliance is designed for domestic use ONLY. Any other use may result in fire, electric shock, damage to property and injury to persons.

DO NOT operate the appliance with a damaged power cable or plug, after a malfunction or if it has been damaged in any way. Return to an authorised service centre for evaluation and repair.

This appliance should be operated in the upright position on a flat, level surface.

Ensure the air inlets and outlets are not blocked or obstructed in any way. Allow a 10cm clearance around the appliance.

DO NOT place/store objects on top of the appliance.

To prevent the risk of electric shock, DO NOT immerse the appliance, plug or power cable in water or spray with liquids.

Turn the power OFF at the appliance before removing the plug.

Always unplug the appliance when not in use or moving location. DO NOT remove the plug from the socket outlet by pulling the cable. Remove by pulling the plug.

Always empty the water tank before storing the appliance.

Close supervision is required when operating the appliance near children or animals.

This appliance can be used by children aged from 8 years and above and persons with reduced physical, sensory or mental capabilities or lack of experience and knowledge if they have been given supervision or instruction concerning the use of the appliance in a safe manner and understand the hazards involved.

DO NOT run the power cord under carpets or rugs. Arrange the power cord away from areas where it may cause a trip hazard. DO NOT operate the power cable near sharp edges.

Where possible, avoid the use of an extension cable as they may overheat and cause a risk of fire.

Repairs must be carried out by a qualified service person ONLY.

ONLY operate from a power supply as indicated on the rating label.

# Knowing Your Dehumidifier



## Operating Your Dehumidifier

Connect the DC jack plug in to the DC port of the appliance and the power adaptor in to the socket outlet.

If the RED indicator light is illuminated then check the water tank is inserted correctly. When fitted correctly, the indicator will illuminate BLUE.

The dehumidifier will stop automatically when the water tank is full. The indicator light will illuminate RED and the dehumidifier will stop operating.

To empty the water tank, turn the power OFF and remove the tank in an outwards direction from the back. Remove the black cover and discard the collected water. Re-fit the black cover on to the water tank and return the tank in to the dehumidifier.

Wipe the appliance with a clean, dry cloth if required.

# Operating Your Dehumidifier continued

## INDICATOR LIGHT

BLUE illumination - Normal operation

RED illumination - Water tank is FULL or not inserted correctly.

RED & Flashes every 5 seconds - When the ambient temperature is above 40°C or below 5°C

BLUE & Flashes every 3 seconds - Automatic defrost when temperature is between 5°C & 15°C

RED & Flashes every 3 seconds - A fault with the appliance.

## Trouble Shooting

Problem	Possible Cause	Solution
After connecting, the red indicator lights up	The water tank is full	Empty the water tank and replace it in correct position
	The float gets jammed	Press the float and replace the water tank
The dehumidifier doesn't work	The power supply is cut off	Check if the adaptor is plugged in
	DC switch is OFF	Turn the switch on
	The air outlet is blocked	Maintain the minimum clearance at least 10cm around the dehumidifier when the unit is operating

## General Maintenance

Ensure the appliance is switched OFF and the power cord is removed from the mains socket outlet.

Use a soft moist cloth to remove dirt & dust and wipe dry.

DO NOT use detergents, chemicals or solvents to aid cleaning.

Store the appliance in its original packaging in a well ventilated, dry place.

Repairs should only be carried out by a qualified service agent.

# Technical Data

Power Adaptor:	12volts D.C 6amps
Rated Power Input:	72Watts
Extraction Rate:	550ml/24 hours
Tank Capacity:	1100ml
Area:	Up to 40m <sup>2</sup> (square metres)
Dimensions:	218 x 155 x 340mm
Operating Range:	5°C ~ 40°C > 45% Relative Humidity



The crossed out Wheelie Bin logo is used to highlight electrical products that should not be disposed of with normal household waste. Please visit [www.recycle-more.co.uk](http://www.recycle-more.co.uk) to find where your nearest recycling point is and recycle this product at the end of its life. For more information on disposal contact your local authority.

## Customer Services

Devola (A Love Shopping Direct Company)  
97 Walsall Road  
Birmingham  
B42 1TX

Tel: 0800 043 4243

Website: [www.devola.co.uk](http://www.devola.co.uk)